

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	jp-11296333-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:24
L2	2	ep-820004-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:24
S1	2	("20010030766").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:47
S2	2	ep-975145-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:44
S3	2	("6553431").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:44
S4	2443	(activ\$5 with passive\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:12
S5	1215	(activ\$5 with passive\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:12
S6	70	(activ\$5 with passive\$5) adj2 device\$5 with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:15
S7	38	S6 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:15

S8	8	(activ\$5 with passive\$5) adj2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:16
S9	7	S8 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:51
S10	0	(activ\$5 with passive\$5) adj2 communicat\$5 with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:16
S11	2	("6553431").URPN.	USPAT	OR	ON	2005/06/08 10:20
S12	4	("5123063" "5396345" "5933580" "5935217").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 10:49
S13	2	(transmission\$5 adj2 mode\$5) with (active\$5 passive\$5) same print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 10:50
S14	822	(transmission\$5 adj2 mode\$5) same (active\$5 passive\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 10:50
S15	319	(transmission\$5 adj2 mode\$5) with (active\$5 passive\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 10:51
S16	184	S15 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:51
S17	66	(transmission\$5 adj2 mode\$5) with (active\$5 passive\$5) and print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 10:51
S18	45	S17 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:12
S19	0	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) adj4 (profile\$5 device adj2 information\$5 parameter\$5 capabilit\$5) with (activ\$5 near6 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56

S20	0	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) adj4 (profile\$5 device adj2 information\$5 parameter\$5 capabilit\$5) same (activ\$5 near6 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56
S21	14	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) same (profile\$5 device adj2 information\$5 parameter\$5 capabilit\$5) same (activ\$5 near6 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:11
S22	270	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) same (activ\$5 near6 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:20
S23	139	S22 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:17
S24	3560	communicat\$5 same (activ\$5 near6 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:17
S25	474	communicat\$5 same (activ\$5 near6 passive\$5) and (printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:17
S26	241	S25 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:21
S27	113	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with active\$5 with passive\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:36
S28	79	S27 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:36

S29	0	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) same (active\$5 with passive\$5) adj4 (protocol\$5 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:27
S30	22	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) and (active\$5 with passive\$5) adj4 (protocol\$5 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:36
S31	304	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) same (active\$5 with passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:36
S32	191	S31 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 11:36
S33	81	S32 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:43
S34	83	passively adj2 communicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:43
S35	37	S34 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:46
S36	544	(passive\$3 near4 active\$4) near4 (communicat\$5 protocol\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:46
S37	273	S36 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 13:35
S38	4142	(active\$5 near6 passive\$5) adj2 (device\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 13:33

S39	186	(active\$5 near6 passive\$5) adj2 (device\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 13:33
S40	86	S39 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:43
S41	23	("6370147").URPN.	USPAT	OR	ON	2005/06/08 13:40
S42	26	(transfer\$5 adj2 (path\$5 information\$5)) with (active\$5 near8 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:43
S43	59	(printer\$5 adj2 passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:43
S44	37	S43 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:46
S45	1	(indicat\$5 suggest\$5) adj4 (printer\$5 scanner\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5) with (passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:45
S46	10	(indicat\$5 suggest\$5) with (printer\$5 scanner\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5) with (passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:45
S47	40	(indicat\$5 suggest\$5 determin\$5) with (printer\$5 scanner\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5) with (passive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:46
S48	30	S47 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 16:55
S49	1757	host with passive\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 16:55

S50	24	host with passive\$2 adj2 transfer\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 16:55
S51	17	S50 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:00
S52	230	(printer\$5 with proxy\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:15
S53	69	S52 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:15
S54	106	(printer\$5 adj4 proxy\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:15
S55	32	S54 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:17
S56	1092	(server\$5 proxy\$5) adj2 (profile\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:16
S57	18	(server\$5 proxy\$5) adj2 (profile\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:18
S58	24	S54 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:17
S59	5	S57 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:18

S60	25	(server\$5 proxy\$5) adj2 (profile\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:18
S61	6	S60 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:19
S62	1108	(server\$5 proxy\$5) adj2 (information\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:25
S63	42	(server\$5 proxy\$5) adj2 (device adj2 information\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:19
S64	11	S63 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:25
S65	11	transfer adj2 path adj2 profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:21
S66	1092	(server\$5 proxy\$5) adj2 profile\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:26
S67	270	S66 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:27
S68	30	creat\$5 adj4 (server\$5 proxy\$5) adj2 profile\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:26
S69	4	S68 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:29

S70	276	device adj2 profile\$5 with server\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:30
S71	32	S70 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:30
S72	17	device adj2 profile\$5 with proxy\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:31
S73	0	S72 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:52
S74	2	device adj2 profile\$5 with print\$5 adj2 server\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:31
S75	11	generat\$5 adj2 server\$5 adj2 profile\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:51
S76	210	(proxy adj2 device\$5) with information\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:52
S77	52	S76 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:56
S78	4	(print\$5 adj2 server\$5) adj2 profile\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:55
S79	28	(print\$5 adj2 server\$5) adj2 (attribut\$5 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 17:56

S80	18	S79 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:03
S81	3	(proxy adj2 device\$5) adj2 (parameter\$5 attribut\$5)	US-PGPUB; USPAT; ÉPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:03
S82	2414	(server\$5) adj2 (parameter\$5 attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:03
S83	4331	(server\$5) adj2 (parameter\$5 attribut\$5 capabilit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:03
S84	114	(server\$5) adj2 (parameter\$5 attribut\$5 capabilit\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:03
S85	52	S84 and @ad<"20000313"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:17
S86	8	(select\$5 choos\$5 determin\$5) adj4 (print\$5 adj2 driver\$5) with (type\$2 near4 (document\$5 data\$5 image\$5 language\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:21
S87	82	(select\$5 choos\$5 determin\$5) with (print\$5 adj2 driver\$5) with (type\$2 near4 (document\$5 data\$5 image\$5 language\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:23
S88	22	(select\$5 choos\$5 determin\$5) adj10 (print\$5 adj2 driver\$5) with (type\$2 near4 (document\$5 data\$5 image\$5 language\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 18:23
S89	221	(transfer\$5 adj2 path\$5 adj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:20

S90	2	("6671063").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 10:38
S91	12	(transfer\$5 adj2 path\$5 adj2 information\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:19